

SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
10th Floor Adult Clinical Pharmacist Checklist	--	--	--	--	--	--	--	--
Lactulose (<u>NO</u> PRN for liver pts w/ encephalopathy)								
Albumin 25% - liver patients (Use only this concentration and doses should be ordered in multiples of 12.5gm so partial doses are not needed)								
PN renewals when patient is off the floor								
→ IOP Orders – after hours on 10 th								
AIP faxes orders to 10 th after hours								
Pediatric patients < 40kg and < 18 yoa must follow pediatric order writing policy and contain all components and the code "NHA" must be in special instructions for all narcotics								
IOP has "med" nurses so if you have ?? ask for the "med" nurse when you call								
Dextrose 50% <u>VIALS</u> - need to be entered at IOP								
Orders under E3 or E4 will not auto print/charge								
Nicotine patches scheduled at 8am								
9th Floor Adult Clinical Pharmacist Checklist	--	--	--	--	--	--	--	--
*Survival Guide on 9 th floor: (the following are in it)								
- Epoprostenol policy and dosing (Dr. Nappi's)								



SELF-ASSESSMENT

DIRECTIONS:

For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."

ACTION PLAN

DIRECTIONS:

Based upon the self-assessment, the following plan is indicated.

EVALUATION SUMMARY

This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.

This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Heart transplant self-meds								
- Heart transplant transfer orders								
- Pre-printed orders for the 9 th floor								
- Ibutilide protocol								
- Glycoprotein 2B/3A inhibitor order forms								
- Bivalrudin protocol								
Streptokinase/Urokinase for CT clearance								
Tikosyn – refer to binder for complete process								
Drug schedules								
furosemide								
Carvedilol with ACEI or ARB								
9 th floor satellite code bag location								
8th Floor Adult Clinical Pharmacist	--	--	--	--	--	--	--	--
Chemotherapy order entry/check off list								
Chemotherapy in a syringe								
Intrathecal chemotherapy								
BMT order entry								
BMT transfer								
Cystic fibrosis (request for specific times)								
Chemotherapy Restriction/Documentation								

SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p style="text-align: center;"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p style="text-align: center;"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
8W Bowel Protocol								
8W electrolyte protocol								
PO chemotherapy								
7th Floor Adult Clinical Pharmacist	--	--	--	--	--	--	--	--
Ortho post-op orders								
LMWH – when to start / epidural catheter log								
Intrathecal orders (syringe and bags)								
Bowel Protocols								
Baclofen orders (syringes and doses)								
Mannitol entries (15% vs. 20%)								
6th Floor Adult Clinical Pharmacist	--	--	--	--	--	--	--	--
Gastric bypass standard orders								
- Laparoscopic VS open								
- Start and stop times (i.e. PCA, IV pepcid)								
Dialysis heparin protocols (5000 unit/ml for cath storage)								
De-clotting procedures (1 or 2 mg doses of TPA)								
Post-dialysis antibiotics – FYI entry								
- Gentamicin POST/DIA, Vancomycin QOHD								
- Antibiotics for cath storage								
Concentrated saline (23.4%) syringes for dialysis								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
<p align="center">This section is designed for</p> <p align="center">Clinical Pharmacist</p> <p align="center">Adult/Pediatric Hospital Floor</p> <p align="center">Specific Orientation</p> <p align="center">Procedure / Task</p>	<p>Have you ever done this procedure or accessed information?</p>		<p>Are you competent performing/locating information?</p>		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
STAT meds for dialysis – procurement process								
Pre and post-op orders for kidney/pancreas/liver transplant – print MARs								
- Zenapax – give in OR, or STAT on arrival								
- Not to use gengraf or sandimmune for fresh tx pt's (NEORAL)								
Transplant self-meds								
Transplant study medications from IDS								
<u>MICU</u>								
- Order forms – ativan, propofol, vasopressin, insulin ...								
- Bivalrudin/ Argatroban – monitoring done by PharmD								
- code bag in cabinet								
4th Floor Adult Clinical Pharmacist	--	--	--	--	--	--	--	--
<u>Liver transplant post – op</u>								
- Zenapax given in OR, or STAT upon arrival								
- Assure use of pain medication if needed								
- Check prostin rate - dosing guideline on order form								
- Aminocaproic acid (send 2, 1 st one only lasts 1 hr)								
- Antibiotics – should always have post-op for at least three days and correct ones chosen (PCN allergy)								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
DIRECTIONS: For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."				DIRECTIONS: Based upon the self-assessment, the following plan is indicated.		This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Send first dose of everything immediately - go to AIP to retrieve doses								
- Print MAR for nursing due to extensive order list								
Post-op day 1 - if prostin and/or aminocaproic acid ordered prior to transplant rounds check to see how much is remaining as it is usually dc'd day 1								
Heart transplant								
- Review orders first, catch errors before team leaves								
- STAT doses of immunosuppressants								
- Print MAR for unit secretary								
- Dosing adjustments of IV cyclosporine expressed as rate changes based on initial dose (i.e.100mg), so enter as DRIP and force print labels when need								
Post - Op CABG								
- Enter all drips ordered but only send Mg++ drip - if drip is written in, call to see if need								
Post-Op Esophagectomy - NG/J-tube flushes on 1 st page and electrolyte protocol same as CABG orders.								
Trauma admit orders - watch for: pepcid, MIV, ABX								
Craniotomy - watch for phenytoin load (STAT)								
Interventional Radiology - Reteplase. Urokinase - order set (E7) "Interventional Radiology" (always STAT)								
ECMO - bypass for heart and/or lungs used by CT surg. Order set (E7), note 2 different heparin concentrations								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
Life Point – organ donor management. They have their own protocols. Meds ordered by Life Point nurse. Must be verbal per Dr. Sade. All meds ordered are STAT. (note- levothyroxine drip, usually do not increase size or concentration because of very short stability, unless running at high rate)								
- Determine rate in ml/hr, verify dose, print labels								
-Give drug information to RN (ice packs, help program pump, back-up pump, light protect, very short half-life, not to let run dry!)								
- Appropriate form completed – titration or home conversion, including dose calculations (can give dose calculator for titrations) pharmwork docs								
Drips – should be able to concentrate them, choose correct diluents, manipulate drips against pt need, determine when it is impractical to concentrate drips, evaluate drip dosing								
CVVHDF								
- Time and print labels appropriately								
- Enter orders using proper nomenclature								
- Understand process of CVVHDF								
- Monitor medications of these patients – especially antibiotics need adjusted.								
Lasix/Mannitol – concentration is 1 or 2 mg furosemide per ML of 20% mannitol, as a total volume. (100mg/100ml will actually be 90ml of mannitol)								
Pentobarbital coma – reduce ICP								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Slowly load with 10 mg/kg then initiate drip at 1 mg/kg/hour to be titrated q 1 hour by 1 mg/kg/hour up to 5 mg/kg/hour. May re-bolus with 5 mg/kg in between each dose increase. Mix as 2.5GM/500ML NS (max conc. = 10mg/ml) if need in D5W conc. is 4-8 mg/ml								
7th Floor Pediatric Clinical Pharmacist Checklist								
4PCI- TPA bolus/infusion								
- Prostaglandins (stat)	--	--	--	--	--	--	--	--
- Post-op order set								
- Electrolytes per protocol								
- Sildenafil (viagra) suspension								
- Drips (requirements)								
- Milrinone (cost saving initiative)								
- Nesiritide								
- Albumin syringes and post-op								
- Liothyronine (T3)								
- Anti-thrombin III								
- Antibiotic (vanc/gent) doses different								
- PN/Lipids								
- Heparin Flushes (1:1)								
- Octreotide drips								



SELF-ASSESSMENT

DIRECTIONS:

For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."

ACTION PLAN

DIRECTIONS:

Based upon the self-assessment, the following plan is indicated.

EVALUATION SUMMARY

This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.

This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- ECMO orders								
- Heparin/Papaverine for Art line								
- MRI drips (can't take metal into MRI)								
5LDR- AZT drip								
- Insulin drip								
- High dose Pitocin (tender memories)								
- Cefazolin Study								
- Admission to L&D								
- Newborn baby admit orders								
- Methotrexate for Ectopic Pregnancy								
005W - Ante-partum orders								
- Post-op TVH orders								
- Hyperemesis orders								
- Pass Patients								
- Betamethasone IM q24h x2 doses								
- Dexamethasone 6mg IM q12h								
- Cytotec vaginal route(cervical ripening/abortion)								
7CHA -Post-op Ortho orders								
- Pediatric PCA orders/ Co-meds								
- Pectus Repair Orders								

SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Adult/Pediatric Hospital Floor Specific Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- ASA/IVIG in Kawasaki's								
- Appendectomy Orders								
- Pediatric/Adult PN's								
- TPA for cath clearance								
- Baclofen pump orders (test dose from OR)								
- G and J-tube clearance								
7CHB - Dialysis/PD orders								
- Diabetic admission orders								
- Pediatric Chemotherapy orders								
- Septra for heme/onc patients								
- Polygam orders								
- Growth Hormones								
- Factor VI, VIII, and IX								
- Desferral/ Sickle-cell orders								
- Insulin/Insulin Dilutions (Humalog)								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center">DIRECTIONS:</p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center">DIRECTIONS:</p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Area Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
-Liver/Kidney Transplant orders								
-Thymoglobulin								
- OKT-3								
- Atgam								
- Cytogam								
- Heparin flush protocol								
- Compounded enterals (how to calculate/enter)								
- Inhaled gentamicin/tobramycin (tobi)								
- Unasyn/zosyn order entry (calculations)								
- Standardized Tylenol/Ibuprofen								
- Iron Dextran/Ferlecit orders								
7CHC – Post-Cath orders								
- Enalapril Study								
- Transfer from PCICU orders								
- R/O Pyloric Stenosis orders								
- Promod/Neosure/Polycose/Benefiber								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p style="text-align: center;"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p style="text-align: center;"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Area Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Overview of cath lab orders (6CHC pts)								
- Digoxin Double Check in peds								
- 7CHC Drip Card								
- Heparin bolus/drip								
8th Floor Pediatric CLINICAL	--	--	--	--	--	--	--	--
<u>Peds ER-</u> All orders STAT								
<u>005N</u> – Preservative-free Hepatitis B								
- Vaccines (order set, pre-printed orders & overview of SCVAFAC)								
- Caffeine orders								
- Cyclomydril orders								
<u>005E</u> – Depo-provera prior to d/c								
- Post-partum orders for vaginal/cesarean								
- Caffeine sodium benzoate								
- Cytotec orders for vaginal route								
<u>8CHD-</u> Heparin flush protocol								
- Compounded enterals (how to calculate/enter)								
- Inhaled gentamicin/tobramycin (tobi)								
- Unasyn/zosyn orders (calculations)								
- Standard tylenol/ibuprofen								
- IVIG/ASA Kawasaki's								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center">DIRECTIONS:</p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center">DIRECTIONS:</p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Area Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Pediatric PCA orders/co-meds								
- 23 hour observation patients								
- Short gut kids flush- vanco/cipro/heparin								
- Pamidronate (osteogenesis)								
- Iron Dextran/Ferlecit orders								
- Fentanyl/Dilaudid PCA entries								
SCHE – Standard Diluent (D10W)								
- D10W with electrolytes (IV fluid with electrolytes)								
- Theophylline Load/Maintenance								
- Promod/Neosure/Polydose/Benefiber orders								
- NNICU special antibiotic sticker								
- Syringe pump dilutions- abx,zantac, etc.								
- Lipids/HAL (after hours bag)								
- Drips for NNICU								
- Ampho orders (and PN)								
- Neonatal admission orders (new forms)								
- Flushes (1/4 NS with 1:1 and 2:1 heparin)								
- Synagis								
- Polygam								
- Hydrocortisone								



SELF-ASSESSMENT

DIRECTIONS:

For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."

ACTION PLAN

DIRECTIONS:

Based upon the self-assessment, the following plan is indicated.

EVALUATION SUMMARY

This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.

This section is designed for Clinical Pharmacist Area Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- Indocin (IVH vs. PDA) and continuous infusion								
- Medications requiring calculation of BSA								
- Surfactant (entry and expiration)								
- Baby map								
- ECMO orders/procedures								
- Insulin syringes/dilutions								
- STAB unit (fun facts)								
- D10W with ½ LR								
- Vitamin A (x4 weeks)								
- Albumin syringes								
- Cyclomydril (in Acudose)								
<u>SCHF</u> – Standard Diluent (D5W)								
- G and J-tube clearance								
- Heparin bolus/drip								
- PICU drips (requirements/calculations)								
- Conscious sedation protocol								
- Mannitol orders								
- Polygam orders								
- Pristasate/CVVH/CVVHDF								

SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
This section is designed for Clinical Pharmacist Area Orientation Procedure / Task	Have you ever done this procedure or accessed information?		Are you competent performing/ locating information?		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- 23.4% and 3% Saline								
- DKA admission order set								
- Burn post-op orders								
- Xigris orders/process								
- SCOPA/Lifepoint orders								
- Closed Head injury orders								
- Acetylcysteine for liver disease								
- Baclofen pump (test dose from OR)								
- Post-op Ortho orders								
- Nesiritide (compatibility chart on adult 9 th)								
- Kidney/Liver Transplant orders								
-Cytogam								
-Thymoglobulin								
-OKT-3								
-Atgam								
- Flolan drips								
- Factor VII, VIII, and IX								
- Humalog Dilutions								
- Crofab								
- Streptokinase/Urokinase clearance								



SELF-ASSESSMENT				ACTION PLAN		EVALUATION SUMMARY		
<p align="center"><u>DIRECTIONS:</u></p> <p>For each procedure listed, answer the two questions indicated. Competence means "able to perform the procedure safely, correctly, effectively and legally."</p>				<p align="center"><u>DIRECTIONS:</u></p> <p>Based upon the self-assessment, the following plan is indicated.</p>		<p>This is to validate that the above has demonstrated the ability to perform the skills listed below, in a simulated or work setting, within the practice guidelines established.</p>		
<p>This section is designed for</p> <p align="center">Clinical Pharmacist</p> <p align="center">Area Orientation</p> <p align="center">Procedure / Task</p>	<p>Have you ever done this procedure or accessed information?</p>		<p>Are you competent performing/ locating information?</p>		TEACH	REVIEW	DATE	INITIAL
	YES	NO	YES	NO				
- TPA bolus/infusion								

Trainee_____ (signature and date)

Supervisor_____ (signature and date)

